

Composition:

Each capsule contains cranberry 400mg.

Description:

<section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header>

Cranberry is used for reduction in urinary tract infection (UTIs), occurrence and kidney stone management. Cranberry reduces the need for repeated antibiotic use in the treatment of recurrent urinary tract infection. Bacterial adherence to mucosal surfaces is generally considered to be the initial event in the pathogenesis of most infectious disease due to bacteria in human such as UTIs. Cranberry inhibits adherence of bacteria to the lining of the urinary bladder and urethra. Cranberry consumption leading to reduced use of antibiotics and reduction in the number of incidences of recurrent cystitis.

Indication : It is indicated for reduction in UTI recurrence, treatment of UTI.

Dosage & Administration:

1-3 capsule daily or, as directed by the registered physician.

Side effects:

Generally well tolerated. Occasionally diarrhea or mild gastrointestinal upset may occur at high dose.

Contraindications: It is contraindicated in those patients who are hypersensitive to any component of this product. It is contraindicated for the patient with aspirin allergy, atrophic, gastritis, hypochlorhydria.

Precautions:

Caution should be advised for the patient with aspirin allergy, atrophic, gastritis, hypochlorhydria.

Use in pregnancy and lacation : There are no adequate and well controlled studies in pregnant and lacting women. So it is not recommended for pregnant and lacting women.

Drug interactions: Cranberry may interacts with Warfarin, H2 blocker & proton pump inhibitor.

Storage: Keep out of reach of the children. Keep away from direct sunlight. Store below 30^o C in a dry place.

Packing:

Each box contains 8×4 's = 32 capsules in alu-alu blister pack.