Composition: Each soft gelatin capsule contains:

Vitamin A Ascorbic Acid Vitamin D3 Vitamin E Vitamin K Thiamine Riboflavin Niacin Vitamin B6 Folic Acid Vitamin B12 Biotin Pantothenic Acid Calcium Phosphorus Iodine Magnesium Zinc Selenium Copper	BP USP BP USP USP BP USP USP USP USP USP USP USP USP USP US	5000 IU 60mg 400 IU 45 IU 10mcg 1.5mg 1.7mg 20mg 400mcg 25mcg 30mcg 10mg 200mg 48mg 150mcg 100mg 15mg 20mcg 20mcg
Biotin	USP	30mca
Pantothenic Acid	USP	_
Calcium	USP	200mg
Phosphorus	USP	48mg
lodine	USP	150mcg
Magnesium	USP	100mg
Zinc	USP	15mg
Selenium	USP	20mcg
Copper		-
Manganese	USP	2mg
Chromium	USP	150mcg
Molybdenum	BP	75mcg
Chloride	BP	72mg
Potassium	BP	80mg
Boron	Ph. Grade	150mcg
Nickel	Ph. Grade	5mcg
Silicon	USP	2mg
Vanadium	Ph. Grade	10mcg
Lutein	USP	250mcg

Indications: Supravit-S is indicated for the prevention and treatment of vitamin and mineral deficiencies for adults over 45 years of age. Supravit-S is also indicated to meet the increase demands of vitamin and mineral for adults over 45 years of age.

Supravit-S

Capsule

Dosage and administration: 1 capsule daily with food or as directed by the registered physician.

Side effects: Allergic sensitization has been reported following oral administration of folic acid

Contraindications: This product is contraindicated in patients with a known hypersensitivity to any ingredients of this product.

Precaution: Excess Vitamin-A intake may be toxic and may increase the risk of birth defects. Pregnant women and women who may become pregnant should not exceed 5,000 I.U total per day of Pre-formed Vitamin A (retinyl palmitate). Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemia's where vitamin B12 is deficient.

Drug Interaction: No such drug interaction have been reported.

Storage: Store below 30°C in a dry place.

Packing: 30's soft capsules in blister pack.